



PROPOSED TREE WITH WRAPPED ROOT BALL



**SECTION A-A**



\* THE X AND Y DIMENSIONS SHALL MATCH THE PLANTER SIZE ON THE CITY STREET TREE LIST FOR THE TREE SPECIES TO BE PLANTED, REFER TO PLATES M-14.1, M-14.2, & M-14.3. THE X DIMENSION SHALL ALWAYS BE THE LONGEST DIMENSION.

**SIDEWALK TREE WELL**

PLAN VIEW

**NOTES**

1. ALL CONCRETE SHALL BE MD DEPT. OF TRANS. S.H.A. MIX NO. 3 CONCRETE WITH 5%-8% AIR AND 2"-5" SLUMP. DO NOT ADD WATER TO THE SURFACE FOR FINISHING.
2. THE TOP OF THE TREE ROOT BALL SHALL BE 4" BELOW PAVEMENT FINISH GRADE AND MULCHED AS SHOWN. REFER TO PLATE M-012 FOR ALL OTHER PLANTING INFORMATION AND TO PLATE M-013 FOR STAKING AND GUYING.
3. REINFORCED RUBBER HOSE & WIRE TO (3) 2"x2"x4' HARDWOOD STAKES.
4. 3" SHREDDED HARDWOOD BARK MULCH OVER LANDSCAPING GEOTEXTILE. DO NOT PLACE MULCH AGAINST TRUNK
5. IF ROOT BALL IS WRAPPED IN PLASTIC OR NON-BIODEGRADABLE MATERIAL, REMOVE ENTIRE WRAP. REMOVE BURLAP AND WIRE FROM ROOT BALL.
6. 5" DEPTH - 3500 PSI CONCRETE SIDEWALK, 5%-8% AIR AND 2"-5" SLUMP.
7. 4" DEPTH - #57 AGGREGATE BASE
8. UNDISTURBED OR COMPACTED SOIL, SCARIFY TOP LAYER OF SUBGRADE.
9. FURNISHED TOPSOIL, FOOT TAMPED TO PREVENT SETTLEMENT AND ELIMINATE AIR POCKETS.
10. EXISTING SUBGRADE OR PREPARED SUBGRADE TO FORM A PEDESTAL. COMPACT TO PREVENT SETTLING.



CITY OF HAGERSTOWN, MARYLAND - ENGINEERING DIVISION

MISCELLANEOUS STANDARD DETAIL  
CONCRETE SIDEWALK TREE WELL  
FOR NEW TREE INSTALLATION

ISSUE DATE: 01-01-04

REVISIONS

01-01-07

01-02-25

Plate M-016